



INDOOR LED BROUCHIER

*Experience The Brightness
of a Star*

A spotlight shines from the top right corner onto a dark blue background. The beam of light is bright and creates a soft glow on the surface below it.

**CHOOSE
IT.
BRIGHT
IT.**

index


1	SPOT LIGHT	06-25
2	COUPLE SPOT LIGHT	26-31
3	LASER BLADE LINEAR LIGHT	32-36
4	RECESSED DOWN LIGHT	37-41
5	SPOT CYLINDER LIGHT	42-45
6	TRACK LIGHT / PULLOUTRIMLESS SURFACE LIGHT	47-50
7	RIMLESS SURFACE	51-52
8	OUT DOOR	53
9	STRIP LIGHT	54
10	SMPS	54-55
11	MAGNETIC PROFILE LIGHT	58-59

Delta

KI - 101



WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	63X60 MM	57 MM	24°
12W	84X79 MM	74 MM	38°
18W	95X100 MM	85 MM	38°
24W	115X105 MM	105 MM	38°
30W	115X105 MM	105 MM	38°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	RGB G-BK

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Value

KI - 102

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	75X60 MM	65 MM	24°
12W	85X80 MM	75 MM	38°
18W	95X100 MM	85 MM	38°



BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	CROME GOLD RGB G-BK

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

AVAILABLE REFLECTORS



GUN BLACK

ROSE GOLD

CROME

GOLD






Beat

KI - 103

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	70x45	60 MM	110°
12W	85x55	75 MM	110°
18W	98x65	88 MM	110°




BODY SHAPE	○
BODY COLOUR	● ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	RGB I G-BK



Flexa

KI - 104

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	40X58 MM	35 MM	24°
12W	60X88 MM	52 MM	38°
18W	75X95 MM	62 MM	38°




BODY SHAPE	○
BODY COLOUR	● ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	G-BK I WH I RGD




Beat Pro

KI - 105



WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	70X45 MM	60MM	110°
12W	85X55MM	75MM	110°
18W	98MMX65MM	88MM	110°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	G-BK

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Duck

KI - 106

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	70X57 MM	55 MM	38°
12W	85X65 MM	75 MM	38°
18W	95X90 MM	86 MM	38°



BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE






Gini

KI - 107

WATT 3W **OUTER SIZE** 38X28 MM **CUTOUT SIZE** 28 MM **BEAM ANGLE** 38°




BODY SHAPE	○
BODY COLOUR	○ ● ●
CCT	3K 4K 5K 6K
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	RGB WH BK

Duck Pro

KI - 108

WATT 7W 12W 18W **OUTER SIZE** 70X50 MM 85X65 MM 95X75 MM **CUTOUT SIZE** 65 MM 80 MM 90 MM **BEAM ANGLE** 24° 36° 36°



BODY SHAPE	○
BODY COLOUR	● ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	G-BK RGD

 **RF 2.4G** TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE








Creta

KI - 109

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	62X58 MM	55 MM	38°
12W	85X63 MM	75 MM	38°
18W	105X72 MM	95 MM	38°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	RGB G-BK GOLD WH

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Prodigy

KI - 110

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	62X80 MM	55 MM	45°
12W	85X85 MM	75 MM	45°
20W	110X118 MM	95 MM	45°



BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	WHITE G-BK

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE




Galaxy

KI - III



WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	60X75 MM	55 MM	38°
12W	70X75 MM	65 MM	38°
18W	83X85 MM	78 MM	38°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	G-BK WH

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Oreo


KI - II2

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7 W	60MMX52MM	55MM	36°
12W	80MMX50MM	75MM	36°
18W	100MMX62MM	95MM	36°



BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE






Ray

KI - 113

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7 W	39x52 MM	35 MM	38°
12 W	60x63 MM	55 MM	38°



BODY SHAPE	○
BODY COLOUR	● ● ○
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	RGB G-BK WH BK


RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



Orchid

KI - 114

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	40MMX72MM	35MM	24°
12W	60MMX72MM	55MM	24°
18W	72MMX95MM	65MM	24°



BODY SHAPE	○
BODY COLOUR	○ ● ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	BRASS / G-BK / CHROME / WH


RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



Slimo

KI - II5

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	42MMX84MM	35 MM	24°
12W	57MMX98MM	45 MM	36°
18W	65MMX103MM	55 MM	36°


	BODY SHAPE	☐
	BODY COLOUR	☐ ☒
	CCT	☒ 3K ☐ 4K ☐ 5K ☐ 6K ☐ 3 in 1
	POWERED BY	CREE/BRIDGELUX
	MATERIAL	Aluminum
	REFLECTOR	WH / G-BK

 RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE


Slimo Trimless

KI - II6

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	60MMX87MM	35MM	24°
12W	70MMX101MM	45MM	36°
18W	80MMX106MM	55MM	36°

	BODY SHAPE	☐
	BODY COLOUR	☐ ☒
	CCT	☒ 3K ☐ 4K ☐ 5K ☐ 6K ☐ 3 in 1
	POWERED BY	CREE/BRIDGELUX
	MATERIAL	Aluminum
	REFLECTOR	WH / G-BK

 RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE




Photon

KI - 117



WATT 10W **OUTER SIZE** 52X110 MM **CUTOUT SIZE** 48 MM **BEAM ANGLE** 38°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	G-BK

 **RF 2.4G** TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Rio

KI - 118

WATT 24W 30W 40W **OUTER SIZE** 114X90 MM 114X90 MM 120X110 MM **CUTOUT SIZE** 107 MM 107 MM 114 MM **BEAM ANGLE** 45° 45° 45°



BODY SHAPE	○
BODY COLOUR	● ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-


 **RF 2.4G** TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



Zoom

KI - 119

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
20W	132X110 MM	125MM	45°
30W	145X113 MM	136MM	45°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Atom

KI - 120

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	88X88 MM	70 MM	38°
12W	105X105 MM	85 MM	38°
18W	120X120 MM	105 MM	38°
24W	120X120 MM	105 MM	45°
30W	145X145 MM	135 MM	60°
50W	160X160 MM	145 MM	60°



BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-


RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Stella

KI - 121



WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
20W	105X65 MM	95 MM	45°
30W	132X75 MM	120 MM	45°
40W	150X80 MM	135 MM	45°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Snow

KI - 122

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
30W	109X125 MM	95 MM	45°



BODY SHAPE	○
BODY COLOUR	● ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-


RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



Seltos

KI - 123

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	53X61 MM	45MM	36°
12W	63X71 MM	55MM	36°
18W	83X83 MM	75 MM	36°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Butterfly

KI - 124

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	65X46 MM	60 MM	36°
12W	75X55 MM	70 MM	36°
18W	90X57 MM	85 MM	36°



BODY SHAPE	○
BODY COLOUR	○ ● ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	RGD I G-BK


RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



Punch

KI - 125

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	68X48 MM	60 MM	24°
12W	83X75 MM	75 MM	38°
18W	93X59 MM	85 MM	38°



BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	WH BK G-BK RGD


RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



Punch Pro

KI - 126

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	68X66 MM	60 MM	24°
12W	83X75MM	75MM	38°
18W	93X85MM	85MM	38°




BODY SHAPE	○
BODY COLOUR	● ● ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	WH BK G-BK

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE




Delta Pro

KI - 127



WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	59X69 MM	50MM	24°
12W	82X79 MM	74MM	38°
18W	95X100 MM	85 MM	38°




BODY SHAPE	○
BODY COLOUR	● ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	G-8K I RGD

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Mash-IP65

KI - 128

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
12W	85X70 MM	75 MM	36°
18W	110X78 MM	95 MM	36°
30W	135X191 MM	125 MM	36°
50W	180X106MM	155MM	36°



BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

waterproof product




Swift

KI - 129



WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	65X45 MM	55 MM	24°
12W	85X45 MM	75 MM	38°
18W	105X59 MM	95 MM	38°




BODY SHAPE	○
BODY COLOUR	○ ● ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	RGD/G-BK

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Harrier

KI - 130

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	54X62 MM	44 MM	36°
12W	70X70MM	60 MM	36°
18W	80X75MM	70 MM	36°



BODY SHAPE	○
BODY COLOUR	○ ● ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	RGD/G-BK WH BK


RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



Glanza

KI - 131

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	65X78 MM	55 MM	36°
12W	85X96 MM	75 MM	36°
18W	105X121 MM	95 MM	36°
24W	105X121 MM	95 MM	36°



BODY SHAPE	
BODY COLOUR	
CCT	
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	WH/G-BK/BK/RGD

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Glanza

Trimlees

KI - 132

WATT	CUTOUT SIZE	BEAM ANGLE
7W	55 MM	36°
12W	75 MM	36°
18W	95 MM	36°
24W	95 MM	36°



BODY SHAPE	
BODY COLOUR	
CCT	
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	WH/G-BK/BK/RGD

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE










Glanza Pro

KI - I33

PRO	WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
RD	15W	65X112 MM	55 MM	36°
RD	25W	85X148 MM	75 MM	36°
SQ	15W	65X120 MM	55X55 MM	36°
SQ	25W	85X157 MM	75X75 MM	36°



BODY SHAPE	○
BODY COLOUR	○ ● ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	WH/G-BK/BK/RGD


RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



Glanza

KI - 201

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	65X58 MM	55X55 MM	36°
12W	85X78 MM	75X75 MM	36°
18W	105X98 MM	95X95 MM	36°
24W	105X98MM	95X95 MM	36°
7WX2	115X65MM	105X58 MM	36°
12WX2	155X85MM	145X78 MM	36°
25WX2	195X105MM	185X98 MM	36°



BODY SHAPE	☐ ☐ ☐
BODY COLOUR	☐ ☐
CCT	☐ 3K ☐ 4K ☐ 5K ☐ 6K ☐ 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	WH/G-BK/BK/RGD

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Glanza

Trimless


KI - 202

WATT	CUTOUT SIZE	BEAM ANGLE
7W	53X53 MM	36°
12W	74X74 MM	36°
18W	94X94 MM	36°
24W	94X94 MM	36°
7WX2	105X58 MM	36°
12WX2	145X78 MM	36°
25WX2	185X98 MM	36°



BODY SHAPE	☐ ☐ ☐
BODY COLOUR	☐ ☐
CCT	☐ 3K ☐ 4K ☐ 5K ☐ 6K ☐ 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	WH/G-BK/BK/RGD

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE








Glanza Pro

KI - 203

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
15W	65X120 MM	55X55 MM	36°
25W	85X157 MM	75X75 MM	36°
15WX2	115X65MM	105X55MM	36°
25WX2	155X65MM	145X75MM	36°



BODY SHAPE	
BODY COLOUR	
CCT	
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	WH/G-BK/BK/RGD

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Glanza

Pro Trimless

KI - 204

WATT	CUTOUT SIZE	BEAM ANGLE
15W	55X55 MM	36°
25W	75X75 MM	36°
15WX2	105X55MM	36°
25WX2	145X75MM	36°



BODY SHAPE	
BODY COLOUR	
CCT	
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	WH/G-BK/BK/RGD

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE




Breza

KI - 205



WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	65X65X52 MM	55X55 MM	36°
12W	85X85X63 MM	75X75 MM	36°
7WX2	65X126X52 MM	55X115 MM	36°
12WX2	85X167X63 MM	75X160 MM	36°




BODY SHAPE	☐ ☐ ☐ ☐
BODY COLOUR	☐ ☒
CCT	☐ 3K ☐ 4K ☐ 5K ☐ 6K ☐ 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	WH/BK

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Astoria

KI - 206

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	65X70 MM	55 MM	36°
12W	85X85 MM	75 MM	36°
18W	85X100 MM	75 MM	36°
12WX2	168X88X55 MM	160X75 MM	36°
18WX2	168X88X100 MM	160X75 MM	36°



BODY SHAPE	☐ ☐ ☐ ☐
BODY COLOUR	☐ ☒
CCT	☐ 3K ☐ 4K ☐ 5K ☐ 6K ☐ 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	WH/BK

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE








Experia

KI - 207

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	67X 45 MM	60 MM	38°
12W	85X55 MM	75 MM	38°
7X2W	132X73X46 MM	122X63 MM	38°
12X2W	168X85X60 MM	158X75 MM	38°




BODY SHAPE	☐ ☐ ☐
BODY COLOUR	☐ ☐ ☐
CCT	☐ 3K ☐ 4K ☐ 5K ☐ 6K ☐ 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	WH/G-BK/BK/RGD



Experia Plus

KI - 208

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7X2 W	103X62X45 MM	93X52 MM	38°




BODY SHAPE	☐ ☐
BODY COLOUR	☐ ☐ ☐
CCT	☐ 3K ☐ 4K ☐ 5K ☐ 6K ☐ 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	G-BK/RGD



Jazz

KI - 301



WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
6W	68X30X35 MM	64X26 MM	30°
8W	52X52X40 MM	46X46 MM	30°
12W	125X30X35 MM	120X26 MM	30°
18W	71X71X40 MM	65X65 MM	30°
24W	204X32X40 MM	198X26 MM	30°

80 Φ32	BODY SHAPE	
	BODY COLOUR	
	CCT	
	POWERED BY	CREE/BRIDGELUX
	MATERIAL	Aluminum
	REFLECTOR	RGB G-BK
RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE		

Nexa


KI - 302

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
6W	95X45X49 MM	85X37 MM	30°
12W	147X45X49 MM	140X37 MM	30°
24W	280X45X49 MM	273X37 MM	30°

49 Φ140	BODY SHAPE	
	BODY COLOUR	
	CCT	
	POWERED BY	CREE/BRIDGELUX
	MATERIAL	Aluminum
	REFLECTOR	CROME RGB G-BK
RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE		




AVAILABLE REFLECTORS



Jazz Plus

KI - 303

WATT 12W **OUTER SIZE** 134X34X40 MM **CUTOUT SIZE** 126X28 MM **BEAM ANGLE** 38°




BODY SHAPE	
BODY COLOUR	
CCT	
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	RGB G-BK

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Streak

KI - 304

WATT 5W 13W 18W 24W **OUTER SIZE** 52X52X56 MM 128X52X56 MM 90X90X56 MM 205X52X56 MM **CUTOUT SIZE** 42X42 MM 120X42 MM 80X80 MM 195X52 MM **BEAM ANGLE** 38° 38° 38° 38°



BODY SHAPE	
BODY COLOUR	
CCT	
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	G-BK

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE








Dot

KI - 305

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
6W	97x45x43 MM	91x35 MM	36°
12W	154x45x43 MM	148x35 MM	36°




BODY SHAPE	
BODY COLOUR	
CCT	
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	G-BK



Ultra Trimlees Laser

KI - 306

WATT	CUTOUT SIZE	BEAM ANGLE
6W	70X37 MM	36°
12W	127X37 MM	36°



BODY SHAPE	
BODY COLOUR	
CCT	
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	G-BK




Tiltabal Linear

KI - 307



WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
12W	141X49X44 MM	136X43 MM	36°
24W	255X49X44 MM	250X43 MM	36°




BODY SHAPE	
BODY COLOUR	☐ ☒
CCT	☐ 3K ☐ 4K ☐ 5K ☐ 6K ☐ 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	G-BK
RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE	

Aqua

KI - 401

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
12W	120X50 MM	110 MM	120°
18W	155X55 MM	145 MM	120°
24W	170X50 MM	160 MM	120°


	BODY SHAPE	☐ ☐
	BODY COLOUR	☐ ☐
	CCT	☐ 3K ☐ 4K ☐ 5K ☐ 6K ☐ 3 in 1
	POWERED BY	BRIDGELUX
	MATERIAL	Aluminum
	REFLECTOR	-


 TRI COLOUR WITH RF + BT
 + WIFI DIMMING AVAILABLE

Hector

KI - 402

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	90X30 MM	75 MM	120°
16W	120X30 MM	105 MM	120°
24W	170X30 MM	155 MM	120°
32W	225X30 MM	210 MM	120°

	BODY SHAPE	☐ ☐
	BODY COLOUR	☐ ☐
	CCT	☐ 3K ☐ 4K ☐ 5K ☐ 6K ☐ 3 in 1
	POWERED BY	BRIDGELUX
	MATERIAL	Aluminum
	REFLECTOR	-


 TRI COLOUR WITH RF + BT
 + WIFI DIMMING AVAILABLE






Olive

KI - 403



WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
12W	115X45 MM	85 MM	120°
18W	145X45 MM	130 MM	120°
24W	165X45 MM	155 MM	120°
32W	215X45 MM	205 MM	120°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Neo

KI - 404

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
8W	115X35 MM	95 MM	120°
15W	145X35 MM	130 MM	120°
15W	165X35 MM	145 MM	120°
22W	165X35 MM	145 MM	120°



BODY SHAPE	□ ○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	BRIDGELUX
MATERIAL	PC
REFLECTOR	-

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE






Grace

KI - 405

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
12W	90X55 MM	85 MM	120°
18W	100X56 MM	95 MM	120°
24W	124X56 MM	118 MM	120°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-



Vanue

KI - 406

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
8W	120X18 MM	100X100 MM	120°
15W	170X18 MM	155X155 MM	120°
22W	225X18 MM	280X280 MM	120°



BODY SHAPE	□ ○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-






Bella

KI - 407

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
12W	100X50 MM	95 MM	120°
18W	130X50 MM	125 MM	120°
24W	150X50 MM	145 MM	120°



BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	G-BK RGD


RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



Gloria

KI - 501

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	50X70 MM	-	24°
12W	70X90 MM	-	38°
18W	95X100 MM	-	38°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	RGB G-BK




Venus

KI - 502

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
10W	55X162 MM	-	38°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-



Novo Plus

KI - 503

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	56X75 MM	-	38°
15W	70X90 MM	-	38°
18W	85X100 MM	-	38°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	RGB I G-BK

Novo

KI - 504

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	60X75 MM	-	38°
12W	70X90 MM	-	38°
18W	85X100 MM	-	38°
24W	110X125 MM	-	38°
30W	110X125 MM	-	38°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	RGB I G-BK



Cello

KI - 505

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
12W	70X90 MM	-	38°
18W	85X100 MM	-	38°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	RGB G-BK GOLD

Mash Gylinder

KI - 506 IP-65

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
12W	70X90 MM	-	36°
18W	85X100 MM	-	36°



BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	G-BK

waterproof product










Track

KI - 601

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
12W	120X50 MM	-	36°
20W	160X65 MM	-	36°
30W	180X75 MM	-	36°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Premium Track

KI - 602

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
12WT	60X85 MM		36°
20WT	70X145 MM		36°
30WT	80X150 MM		50°
50WT	90X178 MM		50°



BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	RGB I G-BK

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE






Surface Track

KI - 603

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
12WT	60X85 MM		36°
20WT	70X145 MM		36°
30WT	80X150 MM		50°
50WT	90X178 MM		50°




BODY SHAPE	☐
BODY COLOUR	☐ ☐
CCT	☐ 3K ☐ 4K ☐ 5K ☐ 6K ☐ 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

Pullout

KI - 604

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	60X85 MM	50 MM	36°
12W	85X85 MM	75 MM	36°
7X2W	120X69X91 MM	121X60 MM	36°
12X2W	180X191X116 MM	164X77 MM	36°
SQ 12X2W	180X191X116 MM	1164X77 MM	36°



BODY SHAPE	☐ ☐ ☐
BODY COLOUR	☐ ☐
CCT	☐ 3K ☐ 4K ☐ 5K ☐ 6K ☐ 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	WH/BK

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE





Track

KI - 605

WATT 12W OUTER SIZE - CUTOUT SIZE - BEAM ANGLE 24°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	G-BK/GOLD

Slim Pulout

KI - 606

WATT 5W OUTER SIZE 48X85 MM CUTOUT SIZE 42X85 MM BEAM ANGLE 24°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	WH/BK



Nozzal

KI - 607

WATT 7W **OUTER SIZE** 62X252 MM **CUTOUT SIZE** 55 MM **BEAM ANGLE** 24°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	WH/BK

Flow

KI - 701

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
16 WT	173X40	-	120°
24 WT	117X40	-	120°



BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-




ELTRON


Neo Plus

KI - 702

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
8W	90X35 MM	-	120°
15W	145X35 MM	-	120°
22W	145X35 MM	-	120°




BODY SHAPE	□ ○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	BRIDGELUX
MATERIAL	PC
REFLECTOR	-



Neno


KI - 703

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
12W	90X75 MM	-	110°
18W	110X50 MM	-	110°
24W	125X75 MM	-	-



BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-


RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



Bella

KI - 704

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
12W	90X65 MM	-	110°
18W	125X65 MM	-	110°
24W	150X65 MM	-	110°




BODY SHAPE	○
BODY COLOUR	○ ●
CCT	3K 4K 5K 6K 3 in 1
POWERED BY	CREE/BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	RGB G-BK



Flood Light



WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
50W	223X220X250 MM	1.130 GRM	120°
100W	285X275X50 MM	1.708 GRM	120°
150W	285X245X60 MM	1.550 GRM	120°
200W	320X425X60 MM	3.850 GRM	120°



BODY SHAPE	
BODY COLOUR	
CCT	
POWERED BY	BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-

Street Light

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
24W	100X270 MM	0.230 KG	120°
36W	130X300 MM	0.370 KG	120°
50W	158X330 MM	0.480 KG	120°



BODY SHAPE	
BODY COLOUR	
CCT	
POWERED BY	BRIDGELUX
MATERIAL	Aluminum
REFLECTOR	-





Strip Light

WATT	SIZE	WATT	COLOR
2835-120L	5 MM (20Z)	12V	WH-WW-MW
2835-120L	8 MM (20Z)	12V	WH-WW-NW
2835-180L	5 MM (20Z)	12V	WH-WW-NW
2835-240L	10 MM (20Z)	12V	WH-WW-NW
2835-240L	10 MM (30Z)	24V	WH-WW-NW

SMPS

SMPS

AMP	OUTER SIZE	MATERIAL
3 AMP	103X30X21 MM	ALUMINIUM
5 AMP	170X53X18 MM	ALUMINIUM
10 AMP	226X53X18 MM	ALUMINIUM
16.5 AMP	308X53X29 MM	ALUMINIUM
25 AMP	308X53X29 MM	ALUMINIUM
33 AMP	308X53X29 MM	ALUMINIUM









MAGNETIC PROFILE LIGHT

IMAGE	MODEL	COLOR	WATT
	MT-LAZER	4K (OSRAM)	6W
	MT-LAZER		12W
	MT-DIFFUSER 300MM	4K (OSRAM)	10W
	MT-DIFFUSER 600MM		20W
	MT-LAZER MOVABAL ROND	4K (OSRAM)	12W
	MT-LAZER MOVABAL ROND		
	MT-SPOT	4K (OSRAM)	10W
	MT-HANGING	4K (OSRAM)	10W
	MT-LAZER MOVABAL	4K (OSRAM)	6W
	MT-LAZER MOVABAL		12W
	MT-SF TRACK	4K (OSRAM)	1M
			2M
			3M
	MT-CF TRACK	4K (OSRAM)	1M
			2M
			3M





104, BADA BAZAR, GAJJU KATRA, SHAHDARA, DELHI - 110051

